




**NATIONAL
SURGICAL
CORPORATION**

CERTIFIED
ISO 9001



*A proudly founded and owned Australian company -
providing value to our customers beyond the product*



KIRSCHNER WIRES

Precision fixation in Orthopedic Surgery



BE SUPPORTED BY AN
AUSTRALIAN COMPANY
PROVIDING VALUE BEYOND THE PRODUCT

www.nationalsurgical.com.au

Kirschner wires

FIXATION - ORTHOPAEDIC PROCEDURES

Strong, temporary fixation of bone fractures, bone fixation or skeletal traction for orthopaedic procedures.

Used in hand, wrist, foot, and ankle surgeries, and temporary fixation during complex reconstructions

STAINLESS STEEL

Manufactured in Stainless Steel specific for implants, meeting ISO 5832/1 standard. Supplied non-sterile and radiopaque

SHARP TROCAR OR LANCET POINT

Sharp trocar or lancet point for piercing skin with minimal trauma to the patient

FLAT, ROUND OR TROCAR SHAFT END

Available with a flat shaft, round or trocar end for surgeon's preference or type of implant

VARIOUS SIZES AND DIAMETERS

Available in lengths from 6cm - 31cm and diameters from Ø 0.8mm - Ø 3.0mm

HIGH QUALITY, MADE IN GERMANY

All Medicon surgical instruments are high quality, Made in Germany

Kirschner wire options




Kirschner wires

Trocar point



Flat shaft end




Diameter	6cm	10cm	12cm	15cm	23cm	31cm
Ø0.8mm	76.06.08		76.08.10	76.10.08	76.11.08	76.12.08
Ø0.9mm		76.07.09		76.10.09	76.11.09	
Ø1.0mm	76.06.10	76.07.10	76.08.12	76.10.10	76.11.10	76.12.10
Ø1.1mm					76.11.11	
Ø1.2mm	76.06.12	76.07.12	76.08.14	76.10.12	76.11.12	76.12.12
Ø1.3mm						76.12.13
Ø1.4mm			76.08.16	76.10.14	76.11.14	76.12.14
Ø1.5mm				76.10.15	76.11.15	76.12.15
Ø1.6mm		76.07.16	76.08.18	76.10.16	76.11.16	76.12.16
Ø1.7mm					76.11.17	76.12.17
Ø1.8mm			76.08.20	76.10.18	76.11.18	76.12.18
Ø2.0mm	76.06.20			76.10.20	76.11.20	76.12.20
Ø2.2mm				76.10.22	76.11.22	76.12.22
Ø2.4mm						76.12.24
Ø2.5mm				76.10.25	76.11.25	76.12.25
Ø3.0mm					76.11.30	76.12.30

Trocar point



Round end



Diameter	6cm	10cm	12cm	15cm	23cm	31cm
Ø0.8mm	76.06.58	76.07.58		76.10.58	76.11.58	76.12.58
Ø0.9mm	76.06.59	76.06.58	76.08.31	76.10.59	76.11.59	
Ø1.0mm	76.06.40	76.07.60		76.10.60	76.11.60	76.12.60
Ø1.1mm				76.10.61		
Ø1.2mm	76.06.62	76.07.62		76.10.62	76.11.62	76.12.62
Ø1.3mm				76.10.63		
Ø1.4mm		76.07.64		76.10.64	76.11.64	76.12.64
Ø1.5mm		76.07.65	76.08.37	76.10.65	76.11.65	76.12.65
Ø1.6mm		76.07.66		76.10.66	76.11.66	76.12.66
Ø1.7mm	76.06.67			76.10.67	76.11.67	76.12.67
Ø1.8mm		76.07.68		76.10.68	76.11.68	76.12.68
Ø2.0mm		76.07.70		76.10.70	76.11.70	76.12.70
Ø2.2mm	76.06.72			76.10.72	76.11.72	76.12.72
Ø2.5mm				76.10.75	76.11.75	76.12.75
Ø3.0mm					76.11.80	76.12.80
Ø3.0mm					76.11.30	76.12.30

Represents
phase out items

Kirschner wires

Trocar point



Trocar point



Diameter	6cm	10cm	12cm	15cm	31cm
Ø0.8mm	76.06.78	76.07.78	76.08.50	76.10.78	76.13.08
Ø0.9mm		76.07.79			
Ø1.0mm	76.06.80	76.07.80	76.08.52	76.10.80	76.13.10
Ø1.1mm		76.07.81	76.08.53	76.10.81	
Ø1.2mm	76.06.82	76.07.82	76.08.54	76.10.82	76.13.12
Ø1.3mm				76.10.83	
Ø1.4mm		76.07.84	76.08.56	76.10.84	76.13.14
Ø1.5mm	76.06.85	76.07.85	76.08.57	76.10.85	76.13.15
Ø1.6mm		76.07.86	76.08.58	76.10.86	76.13.16
Ø1.7mm			76.08.59	76.10.87	
Ø1.8mm	76.06.88		76.08.60	76.10.88	76.13.18
Ø1.9mm			76.08.61		
Ø2.0mm		76.07.90		76.10.90	76.13.20
Ø2.2mm				76.10.92	76.13.22
Ø2.5mm				76.10.95	76.13.25
Ø3.0mm				76.11.00	76.13.30

Lancet point



Flat shaft end



Diameter	31cm
Ø0.8mm	76.15.08
Ø1.0mm	76.15.10
Ø1.2mm	76.15.12
Ø1.4mm	76.15.14
Ø1.6mm	76.15.16
Ø1.8mm	76.15.18
Ø2.0mm	76.15.20
Ø2.2mm	76.15.22
Ø2.5mm	76.15.25
Ø3.0mm	76.15.30

Represents
phase out items



NATIONAL SURGICAL CORPORATION

CUSTOMER SERVICE

Contact your National Surgical Corporation Account Manager for more information

Phone: 1800 138 138 (free call)

info@nationalsurgical.com.au

www.nationalsurgical.com.au