


TOP SERIES

SHELVINGS, TROLLEYS AND HIGH DENSITY SYSTEM WITH SHELVES

- Modular
- Large load capacities up to 250 kg per shelf
- Easy shelf assembly: maximum flexibility and strength
- Structure without holes = easy to clean
- 20 micron anodized aluminum = no paint defects
- International hygiene certification (NSF)
- Stainless
- Lightweight
- Thermal range: -30°C to +90°C
- Flat packaging = savings on transportation
- Long shelf life
- Maximum space utilization
- Environmentally friendly across the board: from production to use



TOP SERIES SHELVING SYSTEM

The TOP Series Shelving System, thanks to its many standard configurations, can be adapted to any type of space.

Available in 8 different heights, 5 depths and 22 lengths that can be combined with each other. In particular, some of these combinations optimize the storage of products that fall under the ISO 6040 system.

The shelving can be developed in a linear, angular or "U" direction adapting to different types of cold rooms or clean rooms and making full use of unobstructed corners.



Linear single



Add-on



Angular



"U" Shape




**Ideal for Clean Rooms
and Cold Rooms**


COUNTLESS OPTIONS

Our shelving system is available in many different configurations and it perfectly fits in any kind of walk in cold room.

8 HEIGHTS




EASY TO CLEAN



75 mm MODULARITY





5 WIDTHS (W), 22 LENGTHS (L)




All dimensions are in mm

Data common to all shelves widths (W = 300, 375, 450, 525, 600 mm)

Shelf Length (L)mm	Load Capacity kg	Slats n°	Shelf Length (L)mm	Load Capacity kg	Slats n°
400	250	5	1225	220	16
475	250	6	1300	200	17
550	250	7	1375	200	18
625	250	8	1450	200	19
700	250	9	1525	180	20
775	250	10	1600	180	21
850	250	11	1675	180	22
925	240	12	1750	150	23
1000	240	13	1825	150	24
1075	220	14	1900	120	25
1150	220	15	1975	110	26



SHELF PLACEMENT



ASSEMBLY



Assembly Video


SHELVING SYSTEM COMPONENTS

ALUMINUM TERMINAL FRAME

Height mm (H)	Load Capacity kg (UDL)	Width 300 (W) P/N	Width 375 (W) P/N	Width 450 (W) P/N	Width 525 (W) P/N	Width 600 (W) P/N
950	1000	KFT290	KFT365	KFT440	KFT515	KFT590
1250	1000	KFT294	KFT369	KFT444	KFT519	KFT594
1550	1000	KFT298	KFT373	KFT448	KFT523	KFT598
1700	1000	KFT300	KFT375	KFT450	KFT525	KFT600
1850	1000	KFT301	KFT376	KFT451	KFT526	KFT601
2000	1000	KFT302	KFT377	KFT452	KFT527	KFT602
2150	1000	KFT303	KFT378	KFT453	KFT528	KFT603
2450	1000	KFT304	KFT379	KFT454	KFT529	KFT604

ALUMINUM CENTRAL FRAME


Height mm (H)	Load Capacity kg (UDL)	Width 300 (W) P/N	Width 375 (W) P/N	Width 450 (W) P/N	Width 525 (W) P/N	Width 600 (W) P/N
950	1000	KFC290	KFC365	KFC440	KFC515	KFC590
1250	1000	KFC294	KFC369	KFC444	KFC519	KFC594
1550	1000	KFC298	KFC373	KFC448	KFC523	KFC598
1700	1000	KFC300	KFC375	KFC450	KFC525	KFC600
1850	1000	KFC301	KFC376	KFC451	KFC526	KFC601
2000	1000	KFC302	KFC377	KFC452	KFC527	KFC602
2150	1000	KFC303	KFC378	KFC453	KFC528	KFC603
2450	1000	KFC304	KFC379	KFC454	KFC529	KFC604



Complete with adjustable base and cap

SHELF WITH PLASTIC SLATS

Length mm (L)	Load Capacity kg (UDL)	Width 300 (W) P/N	Width 375 (W) P/N	Width 450 (W) P/N	Width 525 (W) P/N	Width 600 (W) P/N
400	250	KFS292	KFS367	KFS442	KFS517	KFS592
475	250	KFS294	KFS369	KFS444	KFS519	KFS594
550	250	KFS296	KFS371	KFS446	KFS521	KFS596
625	250	KFS298	KFS373	KFS448	KFS523	KFS598
700	250	KFS300	KFS375	KFS450	KFS525	KFS600
775	250	KFS302	KFS377	KFS452	KFS527	KFS602
850	250	KFS304	KFS379	KFS454	KFS529	KFS604
925	240	KFS306	KFS381	KFS456	KFS531	KFS606
1000	240	KFS308	KFS383	KFS458	KFS533	KFS608
1075	220	KFS310	KFS385	KFS460	KFS535	KFS610
1150	220	KFS312	KFS387	KFS462	KFS537	KFS612
1225	220	KFS314	KFS389	KFS464	KFS539	KFS614
1300	200	KFS316	KFS391	KFS466	KFS541	KFS616
1375	200	KFS318	KFS393	KFS468	KFS543	KFS618
1450	200	KFS320	KFS395	KFS470	KFS545	KFS620
1525	180	KFS322	KFS397	KFS472	KFS547	KFS622
1600	180	KFS324	KFS399	KFS474	KFS549	KFS624
1675	180	KFS326	KFS401	KFS476	KFS551	KFS626
1750	150	KFS328	KFS403	KFS478	KFS553	KFS628
1825	150	KFS330	KFS405	KFS480	KFS555	KFS630
1900	120	KFS332	KFS407	KFS482	KFS557	KFS632
1975	110	KFS334	KFS409	KFS484	KFS559	KFS634



Including 4 connecting plastic clips to the frames


POLYETHYLENE CORNER KIT

Shelf Type	Width 300 (W) P/N	Width 375 (W) P/N	Width 450 (W) P/N	Width 525 (W) P/N	Width 600 (W) P/N
Vented	KFA300	KFA375	KFA450	KFA525	KFA600



SHELF WITH VENTED ALUMINUM SLATS


Length mm (L)	Load Capacity kg (UDL)	Width 300 (W) P/N	Width 375 (W) P/N	Width 450 (W) P/N	Width 525 (W) P/N	Width 600 (W) P/N
400	250	KFL292	KFL367	KFL442	KFL517	KFL592
475	250	KFL294	KFL369	KFL444	KFL519	KFL594
550	250	KFL296	KFL371	KFL446	KFL521	KFL596
625	250	KFL298	KFL373	KFL448	KFL523	KFL598
700	250	KFL300	KFL375	KFL450	KFL525	KFL600
775	250	KFL302	KFL377	KFL452	KFL527	KFL602
850	250	KFL304	KFL379	KFL454	KFL529	KFL604
925	240	KFL306	KFL381	KFL456	KFL531	KFL606
1000	240	KFL308	KFL383	KFL458	KFL533	KFL608
1075	220	KFL310	KFL385	KFL460	KFL535	KFL610
1150	220	KFL312	KFL387	KFL462	KFL537	KFL612
1225	220	KFL314	KFL389	KFL464	KFL539	KFL614
1300	200	KFL316	KFL391	KFL466	KFL541	KFL616
1375	200	KFL318	KFL393	KFL468	KFL543	KFL618
1450	200	KFL320	KFL395	KFL470	KFL545	KFL620
1525	180	KFL322	KFL397	KFL472	KFL547	KFL622
1600	180	KFL324	KFL399	KFL474	KFL549	KFL624
1675	180	KFL326	KFL401	KFL476	KFL551	KFL626
1750	150	KFL328	KFL403	KFL478	KFL553	KFL628
1825	150	KFL330	KFL405	KFL480	KFL555	KFL630
1900	120	KFL332	KFL407	KFL482	KFL557	KFL632
1975	110	KFL334	KFL409	KFL484	KFL559	KFL634



Including 4 connecting plastic clips to the frames

SHELF WITH SOLID ALUMINUM SLATS

Length mm (L)	Load Capacity kg (UDL)	Width 300 (W) P/N	Width 375 (W) P/N	Width 450 (W) P/N	Width 525 (W) P/N	Width 600 (W) P/N
400	250	KFP292	KFP367	KFP442	KFP517	KFP592
475	250	KFP294	KFP369	KFP444	KFP519	KFP594
550	250	KFP296	KFP371	KFP446	KFP521	KFP596
625	250	KFP298	KFP373	KFP448	KFP523	KFP598
700	250	KFP300	KFP375	KFP450	KFP525	KFP600
775	250	KFP302	KFP377	KFP452	KFP527	KFP602
850	250	KFP304	KFP379	KFP454	KFP529	KFP604
925	240	KFP306	KFP381	KFP456	KFP531	KFP606
1000	240	KFP308	KFP383	KFP458	KFP533	KFP608
1075	220	KFP310	KFP385	KFP460	KFP535	KFP610
1150	220	KFP312	KFP387	KFP462	KFP537	KFP612
1225	220	KFP314	KFP389	KFP464	KFP539	KFP614
1300	200	KFP316	KFP391	KFP466	KFP541	KFP616
1375	200	KFP318	KFP393	KFP468	KFP543	KFP618
1450	200	KFP320	KFP395	KFP470	KFP545	KFP620
1525	180	KFP322	KFP397	KFP472	KFP547	KFP622
1600	180	KFP324	KFP399	KFP474	KFP549	KFP624
1675	180	KFP326	KFP401	KFP476	KFP551	KFP626
1750	150	KFP328	KFP403	KFP478	KFP553	KFP628
1825	150	KFP330	KFP405	KFP480	KFP555	KFP630
1900	120	KFP332	KFP407	KFP482	KFP557	KFP632
1975	110	KFP334	KFP409	KFP484	KFP559	KFP634



Including 4 connecting plastic clips to the frames

ALUMINUM CORNER KIT

Shelf Type	Width 300 (W) P/N	Width 375 (W) P/N	Width 450 (W) P/N	Width 525 (W) P/N	Width 600 (W) P/N
Vented	KFLA30	KFLA37	KFLA45	KFLA52	KFLA60
Solid	KFLPA30	KFLPA37	KFLPA45	KFLPA52	KFLPA60




ANTIBACTERIAL SHELVES

In addition to the shelves presented above, there is also a turquoise-colored antibacterial polyethylene solution.

This type of shelf provides impenetrable defense against microbes, molds, fungi and bacteria, eliminating the latter by up to 99% in 24 hours.

The protection is continuous throughout the useful life of the shelf.



SHELF WITH ANTIBACTERIAL POLYETHYLENE SLATS

Length mm (L)	Load Capacity kg (UDL)	Width 450 (W) P/N	Width 600 (W) P/N
400	250	KFS442-AB	KFS592-AB
475	250	KFS444-AB	KFS594-AB
550	250	KFS446-AB	KFS596-AB
625	250	KFS448-AB	KFS598-AB
700	250	KFS450-AB	KFS600-AB
775	250	KFS452-AB	KFS602-AB
850	250	KFS454-AB	KFS604-AB
925	240	KFS456-AB	KFS606-AB
1000	240	KFS458-AB	KFS608-AB
1075	220	KFS460-AB	KFS610-AB
1150	220	KFS462-AB	KFS612-AB
1225	220	KFS464-AB	KFS614-AB
1300	200	KFS466-AB	KFS616-AB
1375	200	KFS468-AB	KFS618-AB
1450	200	KFS470-AB	KFS620-AB
1525	180	KFS472-AB	KFS622-AB
1600	180	KFS474-AB	KFS624-AB
1675	180	KFS476-AB	KFS626-AB
1750	150	KFS478-AB	KFS628-AB
1825	150	KFS480-AB	KFS630-AB
1900	120	KFS482-AB	KFS632-AB
1975	110	KFS484-AB	KFS634-AB

SHELF LABEL HOLDER

The shelf labeling system (to be requested at the time of order) allows products or containers to be removed while their labels remain on the structure marking the original position-this way products will always be returned to the same position.



P/N	Description
LHPROF-0475	Label holder bar for shelves L475
LHPROF-0550	Label holder bar for shelves L550
LHPROF-0625	Label holder bar for shelves L625
LHPROF-0700	Label holder bar for shelves L700
LHPROF-0775	Label holder bar for shelves L775
LHPROF-0850	Label holder bar for shelves L850
LHPROF-0925	Label holder bar for shelves L925
LHPROF-1000	Label holder bar for shelves L1000
LHPROF-1075	Label holder bar for shelves L1075
LHPROF-1150	Label holder bar for shelves L1150
LHPROF-1225	Label holder bar for shelves L1225
LHPROF-1300	Label holder bar for shelves L1300
LHPROF-1375	Label holder bar for shelves L1375
LHPROF-1450	Label holder bar for shelves L1450
LHPROF-1525	Label holder bar for shelves L1525
LHPROF-1600	Label holder bar for shelves L1600
LHPROF-1675	Label holder bar for shelves L1675
LHPROF-1750	Label holder bar for shelves L1750
LHPROF-1825	Label holder bar for shelves L1825
LHPROF-1900	Label holder bar for shelves L1900
LHPROF-1975	Label holder bar for shelves L1975
LBLHLD	Horizontal label holder 57x40 mm
LBL-HOR2CCOV	Clear cover for LBLHLD



Label Holder without cover



Label Holder with cover

TOP SERIES TROLLEY

The Top Series Trolley is easy to assemble and is designed to combine lightness and maneuverability with strength thanks to its all-aluminum construction.

It is equipped with 4 wheels with brakes and rubber bumpers that make it easy to maneuver even in small environments.


The shelves, available in polyethylene or aluminum, are made of removable slats that are easy and quick to clean.

PAIR OF FRAMES FOR TROLLEY H 1100 MM Load capacity 150 kg / max 3 tiers

P/N	H	L1	L2	W1	W2
TOP-SR110-37	1100	L + 70 mm	L + 125 mm	375	435
TOP-SR110-45	1100	L + 70 mm	L + 125 mm	450	510
TOP-SR110-52	1100	L + 70 mm	L + 125 mm	525	585
TOP-SR110-60	1100	L + 70 mm	L + 125 mm	600	660

"L" refers to the shelf chart

Load Capacity
150 kg



PAIR OF FRAMES FOR TROLLEY H 1400 mm Load capacity 200 kg / max 4 tiers

P/N	H	L1	L2	W1	W2
TOP-SR140-37	1400	L + 70 mm	L + 125 mm	375	435
TOP-SR140-45	1400	L + 70 mm	L + 125 mm	450	510
TOP-SR140-52	1400	L + 70 mm	L + 125 mm	525	585
TOP-SR140-60	1400	L + 70 mm	L + 125 mm	600	660

"L" refers to the shelf chart

Load Capacity
200 kg



PAIR OF FRAMES FOR TROLLEY H 1850 mm Load capacity 250 kg (550 lbs) / max 4 tiers

P/N	H	L1	L2	W1	W2
TOP-SR185-37	1850	L + 70 mm	L + 125 mm	375	435
TOP-SR185-45	1850	L + 70 mm	L + 125 mm	450	510
TOP-SR185-52	1850	L + 70 mm	L + 125 mm	525	585
TOP-SR185-60	1850	L + 70 mm	L + 125 mm	600	660

"L" refers to the shelf chart

Load Capacity
250 kg



LONGITUDINAL FALL ARRESTING BAR HEAVY DUTY


Length mm (L)	P/N	Length mm (L)	P/N
400	KFG004	1075	KFG013
475	KFG005	1150	KFG014
550	KFG006	1225	KFG015
625	KFG007	1300	KFG016
700	KFG008	1375	KFG017
775	KFG009	1450	KFG018
850	KFG010	1525	KFG019
925	KFG011	1600	KFG020
1000	KFG012	1675	KFG021



SHELF WITH PLASTIC SLATS

Length mm (L)	Load Capacity kg (UDL)	Width 300 (W) P/N	Width 375 (W) P/N	Width 450 (W) P/N	Width 525 (W) P/N	Width 600 (W) P/N
400	250	KFS292	KFS367	KFS442	KFS517	KFS592
475	250	KFS294	KFS369	KFS444	KFS519	KFS594
550	250	KFS296	KFS371	KFS446	KFS521	KFS596
625	250	KFS298	KFS373	KFS448	KFS523	KFS598
700	250	KFS300	KFS375	KFS450	KFS525	KFS600
775	250	KFS302	KFS377	KFS452	KFS527	KFS602
850	250	KFS304	KFS379	KFS454	KFS529	KFS604
925	240	KFS306	KFS381	KFS456	KFS531	KFS606
1000	240	KFS308	KFS383	KFS458	KFS533	KFS608
1075	220	KFS310	KFS385	KFS460	KFS535	KFS610
1150	220	KFS312	KFS387	KFS462	KFS537	KFS612
1225	220	KFS314	KFS389	KFS464	KFS539	KFS614
1300	200	KFS316	KFS391	KFS466	KFS541	KFS616
1375	200	KFS318	KFS393	KFS468	KFS543	KFS618
1450	200	KFS320	KFS395	KFS470	KFS545	KFS620
1525	180	KFS322	KFS397	KFS472	KFS547	KFS622
1600	180	KFS324	KFS399	KFS474	KFS549	KFS624
1675	180	KFS326	KFS401	KFS476	KFS551	KFS626

LIGHT GRAY POLYETHYLENE SLATS




Including 4 connecting plastic clips to the frames

SHELF WITH VENTED ALUMINUM SLATS

Length mm (L)	Load Capacity kg (UDL)	Width 300 (W) P/N	Width 375 (W) P/N	Width 450 (W) P/N	Width 525 (W) P/N	Width 600 (W) P/N
400	250	KFL292	KFL367	KFL442	KFL517	KFL592
475	250	KFL294	KFL369	KFL444	KFL519	KFL594
550	250	KFL296	KFL371	KFL446	KFL521	KFL596
625	250	KFL298	KFL373	KFL448	KFL523	KFL598
700	250	KFL300	KFL375	KFL450	KFL525	KFL600
775	250	KFL302	KFL377	KFL452	KFL527	KFL602
850	250	KFL304	KFL379	KFL454	KFL529	KFL604
925	240	KFL306	KFL381	KFL456	KFL531	KFL606
1000	240	KFL308	KFL383	KFL458	KFL533	KFL608
1075	220	KFL310	KFL385	KFL460	KFL535	KFL610
1150	220	KFL312	KFL387	KFL462	KFL537	KFL612
1225	220	KFL314	KFL389	KFL464	KFL539	KFL614
1300	200	KFL316	KFL391	KFL466	KFL541	KFL616
1375	200	KFL318	KFL393	KFL468	KFL543	KFL618
1450	200	KFL320	KFL395	KFL470	KFL545	KFL620
1525	180	KFL322	KFL397	KFL472	KFL547	KFL622
1600	180	KFL324	KFL399	KFL474	KFL549	KFL624
1675	180	KFL326	KFL401	KFL476	KFL551	KFL626

VENTED ALUMINUM SLATS




Including 4 connecting plastic clips to the frames

SHELF WITH SOLID ALUMINUM SLATS

Length mm (L)	Load Capacity kg (UDL)	Width 300 (W) P/N	Width 375 (W) P/N	Width 450 (W) P/N	Width 525 (W) P/N	Width 600 (W) P/N
400	250	KFP292	KFP367	KFP442	KFP517	KFP592
475	250	KFP294	KFP369	KFP444	KFP519	KFP594
550	250	KFP296	KFP371	KFP446	KFP521	KFP596
625	250	KFP298	KFP373	KFP448	KFP523	KFP598
700	250	KFP300	KFP375	KFP450	KFP525	KFP600
775	250	KFP302	KFP377	KFP452	KFP527	KFP602
850	250	KFP304	KFP379	KFP454	KFP529	KFP604
925	240	KFP306	KFP381	KFP456	KFP531	KFP606
1000	240	KFP308	KFP383	KFP458	KFP533	KFP608
1075	220	KFP310	KFP385	KFP460	KFP535	KFP610
1150	220	KFP312	KFP387	KFP462	KFP537	KFP612
1225	220	KFP314	KFP389	KFP464	KFP539	KFP614
1300	200	KFP316	KFP391	KFP466	KFP541	KFP616
1375	200	KFP318	KFP393	KFP468	KFP543	KFP618
1450	200	KFP320	KFP395	KFP470	KFP545	KFP620
1525	180	KFP322	KFP397	KFP472	KFP547	KFP622
1600	180	KFP324	KFP399	KFP474	KFP549	KFP624
1675	180	KFP326	KFP401	KFP476	KFP551	KFP626

SOLID ALUMINUM SLATS



Including 4 connecting plastic clips to the frames